

Literature Cited:

- Allen, M.J., and K. Herbinson. 1990. Settlement of juvenile California halibut, *Paralichthys californicus*, along the coasts of Los Angeles, Orange, and San Diego Counties in 1989. California Cooperative Oceanic Fisheries Investigations Reports 31:84-96.
- Allen, L.G. 1988. Recruitment, distribution, and feeding habits of young-of-the-year California halibut, *Paralichthys californicus*, in the vicinity of Alamitos Bay-Long Beach Harbor, California, 1983-1995. Bulletin Southern California Academy of Science 87:19-30.
- Aly, J.R.R., D.S. Ono, R.B. Read and M. Wallace. 1991. Status of major southern California marine sport fish species with management recommendations, based on analyses of catch and size composition data collected on board commercial passenger fishing vessels from 1985 through 1987. Calif. Dept. Fish and Game, Marine Resources Division, Admin. Report. 90-2, May, 1991.
- Ault, J.S. And J.D. Demartini. 1987. Movement and dispersion of red abalone, *Haliotis rufescens*, in Northern California. Calif. Dept. Fish and Game. 73(4):196-213.
- Babcock, R., and J. Keesing. 1999. Fertilization biology of the abalone *Haliotis laevis*: laboratory and field studies. Canadian Journal of Fisheries and Aquatic Sciences. 56:1668-1678.
- Beers, I and R. Ambrose. In Preparation. Southern California no-take marine reserves enhance target fish populations.
- Bohnsack, J.A. 1998. Marine reserves: lessons from Florida. In M.M. Yoklavich, ed. Marine harvest refugia for West Coast rockfish: a workshop. NOAA-TM-NMFS-SWFSC-255. Pp. 89-99.
- Brandt, R.P. 1923. Potash from kelp: early development and growth of giant kelp, *Macrocystis pyrifera*. U.S. Dep. Agr. Bull. 1191. 40 p.
- Campbell, A. (Editor). 2000. Workshop on rebuilding abalone stocks in British Columbia. Can Spec. Publ. Fish Aquat. Sci. 130: pp. 150.
- Carlton, J.T., J.B. Geller, M.L. Reaka-Kudla and E.A. Norse. 1999. Historical extinctions in the sea. Annu. Rev. Ecol. Syst. 30:515-538.

- Cox, K.W. 1962. California abalones, Family Haliotidae. Calif. Dept. Fish and Game, Fish Bull. 118:1-133.
- Davis, G.E., P.L. Haaker, and D.V. Richards. 1998. The perilous condition of the white abalone, *Haliotis sorenseni*. J. Shell. Res. 17:871-875.
- Davis, G.E. 2000. Refugia based strategies to restore and sustain abalone *Haliotis* spp. Populations in southern California. Can Spec. Publ. Fish Aquat. Sci. 130:133-138.
- Domeier, M.L., and C.S.Y. Chun. 1995. A tagging study of the California halibut, *Paralichthys californicus*. California Cooperative Oceanic Fisheries Investigations Reports. 36:204-207.
- Dugan, J.E. and G.E. Davis. 1993. Applications of marine refugia to coastal fisheries management. Can. J. Fish. Aquatic. Sci. 50:2029-2042.
- Eschmeyer, W.N., E.S. Herald, and H. Hammann. 1983. A field guide to Pacific Coast fishes of North America. Houghton Mifflin Co., Boston, Massachusetts, USA.
- Feder, H.M., C.H. Turner, and C. Limbaugh. 1974. Observations on fishes associated with kelp beds in southern California. California Department of Fish and Game, Fish Bulletin 160. 138 p.
- Fitch, J.E., and R.J. Lavenberg. 1971. Marine food and game fishes of California. University California Press, Berkeley, Ca. 179 p.
- Foster, M.S. and D.R. Schiel. 1985. The ecology of giant kelp forests in California: a community profile. Biological Report 85 (7.2). United States Fish and Wildlife Service. 152 p.
- Geiger, D.L. 1999. Distribution and biogeography of the recent Haliotidae (Gastropoda: Vetigastropoda) world-wide. Bollettino Malacologico 35:5-12.
- Halpern, B. In press. The impact of marine reserves: does size matter? Ecol. App.
- Hamm, DE, and R.S. Burton. 2000. Population genetics of black abalone, *Haliotis cracherodii*, along the central California coast. J. Exp. Mar. Biol. Ecol. 254:235-247.
- Hines, A.H, and J.S. Pearse. 1982 Abalone, shells, and sea otters: dynamics of prey populations in central California. Ecology 63:1547-1560

- Hobday, A.J., M.J. Tegner, and P.L. Haaker. 2001. Over exploitation of a broadcast spawning marine invertebrate: Decline of the white abalone. *Rev. Fish. Biol. and Fisheries*. 10:493-514.
- Johnson, D.R., N.A. Funicelli, and J.A. Bohnsack. 1999. Effectiveness of an existing estuarine no-take fish sanctuary within the Kennedy Space Center, Florida. *North Am. J. Fisheries Management*.
- Karpov, K. A., D. P. Albin, and W. H. Van Buskirk. 1995. The marine recreational fishery in northern and central California: a historical comparison (1958-86), Status of stocks (1980-86), and effects of changes in the California Current. *Calif. Dept. Fish and Game, Fish Bull.* 176, 192 p.
- Karpov, K.A., P.L. Haaker, D. Albin, I.K. Taniguchi, and D. Kushner. 1998. The Red abalone, *Haliotis rufescens*, in California: Importance of depth refuge to abalone management. *J. Shellfish. Res.* 17(3):863-870.
- Kojima, H. 1981. Mortality of young Japanese black abalone *Haliotis discus discus* after transplantation. *Bull. Jap. Soc. Sci. Fish.* 47:151-159.
- Kramer, S.H. 1990. Distribution and abundance of juvenile California halibut, *Paralichthys californicus*, in shallow waters of San Diego County. In C.W. Haugen, editor. *The California halibut, Paralichthys californicus*, resource and fisheries. California Department of Fish and Game, Fish Bulletin 174. Pp. 99-126
- Kramer, S.H. 1991. The shallow-water flatfishes of San Diego County. *California Cooperative Oceanic Fisheries Investigations Reports* 32:128-142.
- Kramer, S.H., and J.S. Sunada. 1992. California halibut. In W.S. Leet, C.M. Dewees, and C.W. Haugen, editors. *California's living resources and their utilization*, University California, Davis, California Sea Grant, Davis, California. UCSGEP-96-12. Pp 94-97
- Leighton, D.L. 1972. Laboratory observations on the early growth of abalone, *Haliotis sorenseni*, and the effect of temperature on larval development and settling success. *Fish. Bull., U.S.* 70:373-381.
- Leet, W.S., C.M. Dewees, and C.W. Haugen (eds.). 1992. *California's Living Marine Resources and Their Utilization*. California Sea Grant Extension Program.

Department of Wildlife and Fisheries Biology. University of California, Davis, CA. 257 pp.

- Leet, W.S., C.M. Dewees, R. Klingbeil, and E.J. Larson (eds.). 2001. California's Living Marine Resources: A Status Report. The Resources Agency, California Department of Fish and Game. 592 pp.
- Love, R.M. 1991. Probably more than you want to know about the fishes of the Pacific coast. Really Big Press, Santa Barbara, California. Pp. 158-160.
- Love, M.S., A. Brooks, D. Busatto, J.S. Stephens Jr. and P.A. Gregory. 1996. Aspects of the life histories of the kelp bass (*Paralabrax clathratus*) and barred sand bass (*P. Nebulifer*) from the southern California Bight. U.S. Fish. Bull. 94:472-481.
- McShane, P.E. 1992. Early life history of abalone: a review. In S.A. Shepherd, M.J. Tegner, and S. Guzman Del Proo., editors. Abalone of the World: Biology, Fisheries and Culture. Blackwell Scientific.
- Miller, D.J. and D. Gotshall. 1965. Ocean sportfish catch and effort from Oregon to Point Arguello, California. Calif. Dept. Fish and Game, Fish Bull 130. 135 p.
- Morse, A.N.C., C. Froyd, and D.E. Morse. 1984. Molecules from cyanobacteria and red algae that induce larval settlement and metamorphosis in the mollusc *Haliotis rufescens*. Mar. Biol. 81:293-8.
- Moser, G.H., and W. Watson. 1990. Distribution and abundance of early life history stages of the California halibut, *Paralichthys californicus*, and comparison with the fantail sole, *Xystreurys liolepis*. In C.W. Haugen, editor. The California halibut, *Paralichthys californicus*, resource and fisheries. California Department of Fish and Game, Fish Bulletin 174. Pp. 31-71.
- Murawski, S.A., R. Brown, H.L. Lai, P.J. Rago, and L. Hendrickson. 2000. Large-scale closed areas as fishery-management tool in temperate marine systems: The Georges Bank experience. Bull. Mar. Science. 66(3):775-798.
- Murray, S.N., T.G. Denis, J.S. Kido and J.R. Smith. 1999. Human visitation and the frequency and potential effects of collecting on rocky intertidal populations in southern California marine reserves. California Cooperative Oceanic Fisheries Investigations Reports. 40:100-106.

- National Research Council (NRC). 2001. Marine Protected Areas: Tools for Sustaining Ocean Ecosystems. National Academy Press. Washington D.C. 272 pp.
- North, W.J. 1983. The sea urchin problem. *In* W. Bascom, editor. The Effects of Waste Disposal on Kelp Communities. Southern California Coastal Water Research Project, Long Beach, California. Pp. 147-162.
- Oda, D. 1991. Developement of eggs and larvae of California halibut *Paralichthys californicus* and fantail Sole *Xystreurys liolepis* (Pisces: Paralichthyidae). Fishery Bulletin, U.S. 89:387-402.
- Oliphant, M.S., P.A. Gregory, B.J. Ingle and R. Madrid. 1990. California marine fish landings for 1977-1986. Calif. Dept. Fish and Game, Fish Bull. 173.
- Paddack, M.J. and J.A. Estes, 2000. Kelp forest fish populations in marine reserves and adjacent exploited areas of central California. Ecological Applications, 10:855-870.
- Palsson, W.A. 1998. Monitoring the response of rockfishes to protected areas. *In* M. M. Yoklavich, editor. Marine harvest refugia for West Coast rockfish: a workshop. NOAA-TM-NMFS-SWFSC-255. Pp. 64-73.
- Palsson, W.A. And R.E. Pacunski. 1995. The response of rocky reef fishes to harvest refugia in Puget Sound. Proceedings: Volume 1: Puget Sound Research '95. Puget Sound Water Quality Authority, Olympia, Washington, U.S.A.
- Paddack, M.J. 1996. The influence of marine reserves upon rockfish populations in central California kelp forests. Master's Thesis, University California, Santa Cruz. 40 pp.
- Parrish, R. 1999. Marine reserves for fisheries management: why not. California Cooperative Oceanic Fisheries Investigations Report. 40:77-86.
- Parrish, R., J. Seger, and M. Yoklavich. 2001. Marine Reserves to Supplement Management of West Coast Groundfish Resources: Phase I Technical Analysis. A report of the Pacific Fishery Management Council pursuant to National Oceanic and Atmospheric Administration Award Number NA17FC1048. 63 pp.

- Prince, J.D., T.L. Sellers, W.B. Ford and S.R. Talbot. 1987. Experimental evidence for limited dispersal of haliotid larvae (genus *Haliotis*; Mollusca: Gastropoda) J. Exp. Mar. Ecol. 106:243-263.
- Reed, R.R. and A.D. MacCall. 1988. Changing the size limit: How it could affect California halibut fisheries. California Cooperative Oceanic Fisheries Investigations Reports 29:158-166.
- Roberts, C.M., J.A. Bohnsack, F. Gell, J.P. Hawkins and R. Goodridge. 2001. Effects of Marine Reserves on Adjacent Fisheries. Science. 294:1920-1923.
- Roberts, C.M. and J.P. Hawkins 1999. Extinction risk in the sea. TREE 14:241-246.
- Rogers-Bennett, L., P.L. Haaker, K.A. Karpov and D.J. Kushner. In Press. Using spatially explicit data to evaluate Marine Protected Areas for abalone in southern California. Conservation Biology.
- Rogers-Bennett, L. and J.S. Pearse. 2001. Indirect benefits of Marine Protected Areas for juvenile abalone. Conservation Biology. 15:642-647.
- Rosenthal, R.J., W.D. Clarke, and P.K. Dayton. 1974. Ecology and natural history of a stand of giant kelp, *Macrocystis pyrifera*, off Del Mar, California. Fisheries Bulletin 72(3):670-684.
- Stephens, J. 2001. California Sheephead. In W.S. Leet, C.M. Dewees, R. Klingbeil, and E.J. Larson, editors. Californias Living Marine Resources: A Status Report. Pp. 155-156.
- Shepherd, S.A., and J.A. Turner. 1985. Studies on southern Australian abalone (Genus *Haliotis*). VI. Habitat preference, abundance, and predators of juveniles. Jour. Exp. Mar. Biol. Ecol. 93:285-298.
- Tegner M.J. 1989. The California abalone fishery: production, ecological interactions, and prospects for the future. In J.F. Caddy, editor. Marine Invertebrate Fisheries: Their Assessment and Management. J. Wiley and Sons.
- Tegner, M.J. 1993. Southern California Abalones: Can Stocks be Rebuilt Using Marine Harvest Refugia? Can. J. Fish. Aquat. Sci. 50:2010-2018.
- Tegner, M.J. and P.K. Dayton. 1977. Sea urchin recruitment patterns and implications of commercial fishing. Science 196:324-326.

- Tegner, M.J. and P.K. Dayton. 1991. Sea urchins, El Niños, and the long term stability of southern California kelp forest communities. *Marine Ecology Progress Series*. 77:49-63.
- Tegner, M.J., J.D. Martini, and K.A. Karpov. 1992. The California red abalone fishery: a case study in complexity. *In* S.A. Shepherd, M.J. Tegner, and S.A. Guzmán del Prío, editors. *Abalone of the world*. Blackwell Scientific Publications, Oxford. pp. 370-383.
- Thomas, J.C. 1968. Management of the white seabass (*Cynoscion nobilis*) in California waters. *Calif. Dept. Fish Game, Fish Bull.* 142:1- 34.
- Tutschulte, T.C. 1976. The comparative ecology of three sympatric abalones. Ph.D. Dissertation. University of California, San Diego, CA.
- Tutschulte, T.C. and J.H. Connell 1988. Growth of three species of abalones (*Haliotis*) in southern California. *Veliger* 31:204-213.
- Wallace, S.S. 1999. Evaluating the effects of three forms of marine reserve on northern abalone populations in British Columbia, Canada. *Conservation Biology* 13:882-887.
- Walters, C. and J.J. MacGuire. 1996. Lessons for stock assessment from the northern cod collapse. *Rev. Fish Biol. Fisheries*. 6:125-137.
- Watling, L. and E.A. Norse. 1998. Disturbance of the seabed by mobile fishing gear: a comparison with forest clearcutting. *Conserv. Biol.* 12:1180
- Wertz, S. 2001. California halibut. *In* W.S. Leet, C.M. Dewees, R. Klingbeil, and E.J. Larson, editors. *California's living marine resources: a status report*. California Department of Fish and Game, 2001. pages 195-197.
- Yoklavich, M., H.G. Greene, G. Cailliet, D. Sullivan, R. Lea, and M. Love. 2000. Habitat associations of deep-water rockfishes in a submarine canyon: an example of a natural refuge. *Fishery Bulletin*. 98:625-641.
- Young, P.H. 1962. California halibut investigation. *In* D.S. Gorsline, editor. *Proceedings of the first national coastal and shallow water research conference, October 1961*. Tallahassee, Florida, USA. Pages 623-625